

# **Iowa WIC Program Formula Product Guide**

## **April 2021**

## Available Formulas

<b><u>Concentrate</u></b>	
<a href="#">Nutramigen</a>	<a href="#">RCF</a>
<a href="#">Similac Advance Stage 1</a>	<a href="#">Similac Soy Isomil</a>
<b><u>Powder</u></b>	
<a href="#">Alfamino Infant</a>	<a href="#">Alfamino Junior</a>
<a href="#">Baby's Only Pea Protein</a>	<a href="#">Beneprotein</a>
<a href="#">Calcilo XD</a>	<a href="#">Complete Amino Acid Mix</a>
<a href="#">Cyclinex-1 (Infant &amp; Child)</a>	<a href="#">Cyclinex- 2 (Child &amp; Adult)</a>
<a href="#">Duocal</a>	<a href="#">Elecare (Infant)</a>
<a href="#">Elecare Jr. (Child)</a>	<a href="#">EnfaCare</a>
<a href="#">Enfagrow Toddler Transitions Gentlease</a>	<a href="#">Enfagrow Toddler Next Step Milk Drink</a>
<a href="#">GA1 Anamix Early Years</a>	<a href="#">GlutarAde GA-1 Amino Acid Blend</a>
<a href="#">GlutarAde Junior GA-1 Drink Mix</a>	<a href="#">Glutarex-1</a>
<a href="#">Glutarex-2</a>	<a href="#">IVA Anamix Early Years</a>
<a href="#">IVA Anamix Next</a>	<a href="#">Ketocal 3:1</a>
<a href="#">Ketocal 4:1</a>	<a href="#">MCT Procal</a>
<a href="#">Neocate with DHA/ARA</a>	<a href="#">Neocate Junior w/prebiotics</a>
<a href="#">Neocate Junior</a>	<a href="#">Neocate Syneo</a>
<a href="#">Nutramigen with Enflora LGG</a>	
<a href="#">Nutramigen with Enflora LGG Toddler</a>	<a href="#">PKU Periflex Early Years</a>
<a href="#">PKU Periflex Junior Plus</a>	<a href="#">Phenex-2</a>
<a href="#">Phenylade Drink Mix</a>	<a href="#">Phenylade Essential Drink Mix</a>
<a href="#">Phenylade MTE Amino Acid Blend</a>	<a href="#">Portagen</a>
<a href="#">Pregestimil</a>	<a href="#">Pro-Phree</a>
<a href="#">PurAmino DHA &amp; ARA</a>	<a href="#">Puramino Jr.</a>
<a href="#">Renastart</a>	<a href="#">Scandishake</a>
<a href="#">Similac Advance Stage 1</a>	<a href="#">Similac Expert Care Alimentum</a>
<a href="#">Similac Expert Care NeoSure</a>	<a href="#">Similac for Spit Up</a>
<a href="#">Similac Human Milk Fortifier</a>	<a href="#">Similac PM 60/40</a>
<a href="#">Similac Sensitive</a>	<a href="#">Similac Soy Isomil</a>
<a href="#">Similac Total Comfort</a>	<a href="#">Tolerex</a>
<a href="#">TYR Anamix Early Years</a>	<a href="#">TYR Anamix Next</a>

<a href="#">Tyrex-1</a>	<a href="#">Tyrex-2</a>
<a href="#">UCD Anamix Junior</a>	<a href="#">Vivonex Pediatric</a>
<a href="#">Vivonex T.E.N.</a>	<a href="#">Xphe Xtyr Analog Pwd</a>
<b><a href="#">RTU</a></b>	
<a href="#">Boost Breeze</a>	<a href="#">Boost – Six Packs</a>
<a href="#">Boost High Protein</a>	<a href="#">Boost Kid Essentials</a>
<a href="#">Boost Kid Essentials 1.5</a>	<a href="#">Boost Kid Essentials 1.5 with Fiber</a>
<a href="#">Bright Beginnings Soy Pediatric Drink</a>	<a href="#">Carnation Breakfast Essentials</a>
<a href="#">Compleat Pediatric</a>	<a href="#">Compleat Pediatric Reduced Calorie</a>
<a href="#">E028 Splash or Neocate Splash</a>	<a href="#">Enfacare NeuroPro</a>
<a href="#">Enfaport</a>	<a href="#">Ensure</a>
<a href="#">Ensure Clear</a>	<a href="#">Ensure Plus</a>
<a href="#">Glucerna Shake</a>	<a href="#">Ketocal 4:1</a>
<a href="#">KetoVie 3:1</a>	<a href="#">KetoVie 4:1</a>
<a href="#">KetoVie Peptide 4:1</a>	<a href="#">Liquigen</a>
<a href="#">MCT Oil</a>	<a href="#">Microlipids</a>
<a href="#">Nepro</a>	<a href="#">Nutramigen</a>
<a href="#">Nutren Junior</a>	<a href="#">Nutren Jr. w/ Fiber</a>
<a href="#">Pediasure</a>	<a href="#">Pediasure with Fiber</a>
<a href="#">Pediasure 1.5 Cal</a>	<a href="#">Pediasure 1.5 Cal with Fiber</a>
<a href="#">Pediasure Enteral with Fiber</a>	<a href="#">Pediasure Enteral Formula</a>
<a href="#">Pediasure Harvest</a>	
<a href="#">Pediasure Peptide 1.0 Cal</a>	<a href="#">Pediasure Peptide 1.5 Cal</a>
<a href="#">Peptamen Junior</a>	<a href="#">Peptamen Junior with Fiber</a>
<a href="#">Peptamen Jr 1.5</a>	<a href="#">Pregestimil 24 kcal</a>
<a href="#">ProMod Liquid Protein</a>	<a href="#">Resource 2.0</a>
<a href="#">Similac Advance Stage 1</a>	<a href="#">Similac Expert Care Alimentum</a>
<a href="#">Similac Expert Care Neosure</a>	<a href="#">Similac for Spit Up</a>
<a href="#">Similac Sensitive</a>	<a href="#">Similac Soy Isomil</a>
<a href="#">Similac Special Care 24</a>	<a href="#">Similac Special Care 30</a>
<a href="#">Suplena</a>	<a href="#">TwoCal HN</a>

### In Range Partially Breastfed Infants – Maximum Formula Issuance

Infant Age	Formula Form	Total Formula Reconstitution
0 to 1 month	Concentrate	104 fluid oz.
	RTU	104 fluid oz.
	Powder	104 fluid oz.
1-3 months	Concentrate	388 fluid oz.
	RTU	384 fluid oz.
	Powder	435 fluid oz.
4-5 months	Concentrate	460 fluid oz.
	RTU	474 fluid oz.
	Powder	522 fluid oz.
6-11 months	Concentrate	315 fluid oz.
	RTU	338 fluid oz.
	Powder	384 fluid oz.

### Out of Range Partially Breastfed Infants – Maximum Formula Issuance

<b>Infant Age</b>	<b>Formula Form</b>	<b>Total Formula Reconstitution</b>
<b>0 to 1 month</b>	<b>Concentrate</b>	105 fluid oz.
	<b>RTU</b>	105 fluid oz.
	<b>Powder</b>	105 fluid oz.
<b>1-3 months</b>	<b>Concentrate</b>	389 fluid oz.
	<b>RTU</b>	385 fluid oz.
	<b>Powder</b>	436 fluid oz.
<b>4-5 months</b>	<b>Concentrate</b>	461 fluid oz.
	<b>RTU</b>	475 fluid oz.
	<b>Powder</b>	523 fluid oz.
<b>6-11 months</b>	<b>Concentrate</b>	316 fluid oz.
	<b>RTU</b>	339 fluid oz.
	<b>Powder</b>	385 fluid oz.

### Fully Formula Fed Infant – Maximum Formula Issuance

Infant Age	Formula Form	Total Formula Reconstitution
0 to 3 month	Concentrate	823 fluid oz.
	RTU	832 fluid oz.
	Powder	870 fluid oz.
4-5 months	Concentrate	896 fluid oz.
	RTU	913 fluid oz.
	Powder	960 fluid oz.
6-11 months	Concentrate	630 fluid oz.
	RTU	643 fluid oz.
	Powder	696 fluid oz.

### Children and Women

- Up to 910 reconstituted fluid ounces of concentrate and powder
  - Up to 910 fluid ounces of RTU

### 235.10 Summary Tables of Food Packages

	Fully breastfed		Partially (mostly) breastfed		Fully formula-fed	
Foods	I-BF 0-5 mo.	II-BF 6-11 mo.	I-BF/FF and III BF/FF A: 0 to 1 mo. B: 1-3 mo. FNB 364 oz. C: 4-5 mo. FNB 442 oz.	II-BF/FF and III BF/FF 6-11 mo. FNB 312 oz.	I-FF and III-FF A: 0-3 mo. FNB 806 oz. B: 4-5 mo. FNB 884 oz.	II-FF and III-FF 6-11 mo. FNB 624 oz.
<b>WIC formula</b>						
<b>Powder (MMA)</b> (reconstituted)	---	---	A: 104 oz. B: 435 oz. C: 522 oz.	384 oz.	A: 870 oz. B: 960 oz.	696 oz.
<b>Concentrate (MMA)</b> (reconstituted)	---	---	A: 104 oz. B: 388 oz. C: 460 oz.	315 oz.	A: 823 oz. B: 884 oz.	630 oz.
<b>Ready-to-feed (MMA)</b>	---	---	A: 104 oz. B: 384 oz. C: 474 oz.	338 oz.	A: 832 oz. B: 913 oz.	643 oz.
<b>Infant foods</b>						
<b>Cereal</b>	---	24 oz.	---	24 oz.	---	24 oz.
<b>Fruits &amp; vegetables</b>	---	256 oz.	---	128 oz.	---	128 oz.
<b>Meats</b>	---	77.5 oz.	---	---	---	---
<b>Definitions:</b> <b>Full nutrition benefit (FNB)</b> is the minimum amount of reconstituted fluid ounces of liquid concentrate infant formula as specified for each infant food package category and feeding variation. <b>Maximum monthly allowance (MMA)</b> is specified in reconstituted fluid ounces for liquid concentrate, RTF liquid and powder forms of infant formula and exempt infant formula.						

# Concentrate Formulas

**Product Name: Nutramigen**

**Cat/Subcat: 31-002** (UPC: 3-00870-49801-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic casein hydrolysate, lactose-free, sucrose-free, infant formula with iron. Does not contain MCT oil. Contains DHA/ARA.	For infants with sensitivity to intact protein or other foods.	13 oz.	26 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	4	3	2	BF Part In
1-3 Months	14	9	5	
4-5 Months	17	11	6	
6-8 Months	12	8	4	
9-11 Months	12	8	4	
First Month	5	4	3	BF Part Out
1-3 Months	15	10	6	
4-5 Months	18	12	7	
6-8 Months	13	9	5	
9-11 Months	13	9	5	
0-3 Months	31	21	10	Fully Formula
4-5 Months	34	22	11	
6-8 Months	24	16	8	
9-11 Months	24	16	8	
Children & Women	35	24	13	



**Product Name: RCF**  
**Cat/Subcat: 31-028** (UPC: 0-70074-40108-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Carbohydrate free formula; formulated to allow physician to prescribe type and amount of carbohydrate with the assurance that other nutrient needs will be met; soy protein isolate base with iron	For use in patients with carbohydrate malabsorption, disaccharidase deficiencies, glucose transport defect, and seizure disorders requiring a ketogenic diet.	13 oz.	26 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	4	3	2	BF Part In
1-3 Months	14	9	5	
4-5 Months	17	11	6	
6-8 Months	12	8	4	
9-11 Months	12	8	4	
First Month	5	4	3	BF Part Out
1-3 Months	15	10	6	
4-5 Months	18	12	7	
6-8 Months	13	9	5	
9-11 Months	13	9	5	
0-3 Months	31	21	10	Fully Formula
4-5 Months	34	22	11	
6-8 Months	24	16	8	
9-11 Months	24	16	8	
Children & Women	35	24	13	

**Product Name: Similac Advance Stage 1**

**Cat/Subcat: 21-083** (UPC: 0-70074-56974-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Standard infant formula with iron; milk-based supplemented with DHA/ARA and prebiotics; antioxidants and nucleotides	For infants (0-12 months)	13 oz.	26 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	4	3	2	BF Part In
1-3 Months	14	9	5	
4-5 Months	17	11	6	
6-8 Months	12	8	4	
9-11 Months	12	8	4	
First Month	5	4	3	BF Part Out
1-3 Months	15	10	6	
4-5 Months	18	12	7	
6-8 Months	13	9	5	
9-11 Months	13	9	5	
0-3 Months	31	21	10	Fully Formula
4-5 Months	34	22	11	
6-8 Months	24	16	8	
9-11 Months	24	16	8	
Children & Women	35	24	13	

**Product Name: Similac Soy Isomil****Cat/Subcat: 21-032** (UPC: 0-70074-56976-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk free, lactose free, iron fortified standard infant formula with partially hydrolyzed soy protein; contains DHA/ARA	For infants (0-12 months) with sensitivity to milk-based formula.	13 oz.	26 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	4	3	2	BF Part In
1-3 Months	14	9	5	
4-5 Months	17	11	6	
6-8 Months	12	8	4	
9-11 Months	12	8	4	
First Month	5	4	3	BF Part Out
1-3 Months	15	10	6	
4-5 Months	18	12	7	
6-8 Months	13	9	5	
9-11 Months	13	9	5	
0-3 Months	31	21	10	Fully Formula
4-5 Months	34	22	11	
6-8 Months	24	16	8	
9-11 Months	24	16	8	
Children & Women	35	24	13	

# Powdered Formula

**Product Name:** Alfamino Infant  
**Cat/Subcat:** 31-093 (UPC: 7-613034-78821-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Hypoallergenic, amino acid based formula. 43% of fat as MCT. Lactose-free and gluten free.	For infants (0-12 months) with multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, or show bowel syndrome.	14.1 oz.	94 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	-	-	-	

**Product Name:** Alfamino Junior  
**Cat/Subcat:** 41-329 (UPC: 7-613034-78795-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Hypoallergenic, free amino acid based formula. 65% of fat as MCT. Lactose-free and gluten free.	Cow's Milk Protein allergy, multiple food allergies, malabsorption/maldigestion, Eosinophilic GI Disorders, or short-bowel syndrome	14.1 oz.	62 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	14	10	5	

**Product Name:** Baby's Only Pea Protein (toddler formula)  
**Cat/Subcat:** 41-356 (UPC: 7-16514-53980-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nature's One	Pea protein based toddler formula.	Cow's Milk Protein allergy, multiple food allergies	12.7 oz	88 fl. Oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	10	6	3	

**Product Name: Beneprotein**  
**Cat/Subcat: 41-281** (UPC 8 oz. can: 0-43900-28410-1)  
 (UPC 6 x 8 oz. case: 1-004390-028410-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% whey protein with no fillers, sweeteners or artificial flavorings, mixes instantly into a wide variety of foods and beverages.	For use when a high protein diet is indicated due to elevated protein requirements such as renal (dialysis) management, wound management, or malnutrition.	8 oz. can 6-8 oz. cans/case	50 fl. oz. 300 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	12	6	

**Product Name: Calcilo XD****Cat/Subcat: 31-025** (UPC: 0-70074-53329-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	A low calcium/Vitamin D free formula; nutritionally complete when prepared as directed; lactose and gluten free; Kosher, Halal	For infants with hypercalcemia (Williams syndrome, osteoporosis, and primary neonatal hyperparathyroidism). Must be medically supervised.	13.2 oz.	96 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	9	6	3	

**Product Name: Complete Amino Acid Mix****Cat/Subcat: 41-328** (UPC: 7-49735-00124-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Balanced mixture of essential and non-essential amino acids. Supplements increased protein needs in enteral formulas.	Conditions in which a nutritionally complete feed is not suitable or a modular approach is required. Conditions where an oligoallergenic diet is indicated; intractable malabsorption, chronic intestinal diseases, or short bowel syndrome.	7 oz.	134 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	0	0	0	BF Part In
1-3 Months	3	2	1	
4-5 Months	3	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	1	1	1	BF Part Out
1-3 Months	4	3	2	
4-5 Months	4	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	6	4	2	Fully Formula
4-5 Months	7	4	2	
6-8 Months	5	3	1	
9-11 Months	5	3	1	
Children & Women	6	4	2	



**Product Name: Cyclinex-1 (Infant & Child)****Cat/Subcat: 31-041** (UPC: 0-70074-51145-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nonessential amino acid free to decrease the ingestion of waste nitrogen. ~43% of energy as fat. Lactose and gluten free. Additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications.	For infants and toddlers with urea cycle disorder, gyrate atrophy of the choroid and retina or HHH syndrome. Must be medically supervised.	14.1 oz.	102 fl. oz. (infant) 68 fl. oz. (child)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	2	1	
4-5 Months	5	3	2	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	3	2	
4-5 Months	6	4	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	8	5	2	Fully Formula
4-5 Months	9	6	3	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
Children & Women	13	9	5	

**Product Name:** Cyclinex-2 (Child & Adult)

**Cat/Subcat:** 41-003 (UPC: 0-70074-51147-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nonessential amino acid free to decrease the ingestion of waste nitrogen. ~35% of energy as fat to help supply essential fatty acids. Lactose and gluten free. Additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications.	For children and adults with urea cycle disorder, gyrate atrophy or HHH syndrome. Must be medically supervised.	14.1 oz.	59 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	15	10	5	

**Product Name: Duocal****Cat/Subcat: 41-074** (UPC: 7-49735-00280-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A powdered medical food providing fat and carbohydrate for increased caloric intake; not suitable as a sole source of nutrition.	For adults/older children with inborn errors of metabolism; disorders of protein and amino acid metabolism, protein restricted diets, electrolyte restricted diets, high energy diets and failure to thrive.	14 oz.	50 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	2	2	1	BF Part In
1-3 Months	8	5	3	
4-5 Months	10	5	3	
6-8 Months	7	5	3	
9-11 Months	7	5	3	
First Month	3	3	2	BF Part Out
1-3 Months	9	6	4	
4-5 Months	11	6	4	
6-8 Months	8	6	4	
9-11 Months	8	6	4	
0-3 Months	17	11	5	Fully Formula
4-5 Months	19	12	6	
6-8 Months	13	9	4	
9-11 Months	13	9	4	
Children & Women	18	12	7	

**Product Name:** Elecare (Infant)  
**Cat/Subcat:** 31-042 (UPC: 0-70074-53511-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete amino acid-based medical food for infants who cannot tolerate intact or hydrolyzed protein. DHA/ARA added.	For infants with severe allergy to intact protein, severe malabsorption and/or GI tract impairment. Must be medically supervised.	14.1 oz.	95 fl. oz. (20 kcal/oz.)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 months	9	6	3	Fully Formula
4-5 months	10	6	3	
6-8 months	7	4	1	
9-11 months	7	4	1	
Children & Women	9	6	3	

**Product Name:** Elecare Jr. (Child)  
**Cat/Subcat:** 31-073  
 (UPC Unflavored: 0-70074-55254-5)  
 (UPC Vanilla: 0-70074-56586-6)  
 (UPC Chocolate: 0-70074-66271-8)  
 (UPC Banana: 0-70074-66276-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete amino acid-based medical food for children 1 year and older who cannot tolerate intact or hydrolyzed protein.	For children with severe allergy to intact protein, severe malabsorption and/or GI tract impairment. Must be medically supervised.	14.1 oz.	64 fl. oz. (30 kcal/oz.)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	6	4	2	
4-5 Months	8	4	2	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
First Month	2	2	2	BF Part Out
1-3 Months	7	5	3	
4-5 Months	9	5	3	
6-8 Months	7	5	3	
9-11 Months	7	5	3	
0-3 Months	13	9	4	Fully Formula
4-5 Months	15	10	5	
6-8 Months	11	7	4	
9-11 Months	11	7	4	
Children & Women	14	9	5	

**Product Name: Enfacare/Enfacare NeuroPro**  
**Cat/Subcat: 31-011** (UPC Enfacare: 3-00870-01944-8)  
 (UPC Enfacare NeuroPro: 3-00875-12208-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	22 kcal/oz, iron-fortified, high protein, vitamin and mineral formula with DHA/ARA added for preterm and/or low birth weight infants. 20% of fat from MCT oil.	For premature and/or low birth weight infants who have reached a weight of 1.8 kg (4 lbs.)	13.6 oz.	87 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	6	4	3	
4-5 Months	7	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	10	6	3	Fully Formula
4-5 Months	11	7	3	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	10	7	3	

**Product Name: Enfagrow Toddler Transitions Gentlease**

Cat/Subcat: 21-080 (UPC: 3-00871-46142-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Similar to Enfamil Gentlease; iron fortified; contains easy to digest protein blend with a whey to casein ratio of 60:40 that has been partially broken down, DHA/ARA. Contains 50% of the lactose of a routine, milk-based toddler formula. Gluten free.	Milk-based toddler formula with partially broken down proteins and reduced lactose.	21 oz.	141 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	6	4	2	

**Product Name: Enfagrow Toddler Next Step Milk Drink**

Cat/Subcat: 21-019 (UPC Vanilla: 3-00878-69247-6)

(UPC Natural Milk Flavor: 3-00871-46741-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk based milk drink, iron fortified, contains DHA for toddlers 1-3 years old. Contains 23 cal/oz.	Milk-based toddler milk drink for 1-3 year olds.	24 oz.	130 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	7	4	2	

**Product Name: GA1 Anamix Early Years**

Cat/Subcat: 31-060 (UPC: 7-49735-00217-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	A lysine-free, low tryptophan powdered infant formula with iron. Contains DHA, ARA, and a unique blend of prebiotic fiber.	For the dietary management of infants with Glutaric Aciduria type 1.	14.1 oz.	80 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	4	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	1	1	BF Part Out
1-3 Months	6	4	2	
4-5 Months	7	5	2	
6-8 Months	5	3	2	
9-11 Months	5	3	2	
0-3 Months	10	7	3	Fully Formula
4-5 Months	12	8	4	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	11	7	3	



**Product Name: GlutarAde GA-1 Amino Acid Blend****Cat/Subcat: 41-311** (UPC: 7-00847-07500-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Contains a mixture of essential and non-essential amino acids. It does not contain lysine and is low in tryptophan. Nutritionally incomplete.	Nutrition support for children and women with Glutaric Aciduria type I.	16.0 oz	82 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	11	7	4	

**Product Name: GlutarAde Junior GA-1 Drink Mix****Cat/Subcat: 41-312** (UPC: 7-00847-07510-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Metabolic formula that does not contain lysine and is low in tryptophan. Nutritionally incomplete.	Nutrition support for children and women with Glutaric Aciduria type I.	14.1 oz.	82 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	11	7	4	

**Product Name: Glutarex-1****Cat/Subcat: 31-026** (UPC: 0-70074-51141-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Medical food that contains approximately 40% of energy as fat; lysine and tryptophan-free; lactose and gluten-free	Nutrition support for infants and toddlers with glutaric aciduria type I.	14.1 oz.	96 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	9	6	3	

**Product Name: Glutarex-2**

**Cat/Subcat: 41-020** (UPC: 0-70074-51143-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Medical food that contains approximately 30% of energy as fat; lysine and tryptophan-free; lactose and gluten-free	Nutrition support for children and adults with glutaric aciduria type I.	14.1 oz.	82 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	11	7	4	

**Product Name: IVA Anamix Early Years**  
**Cat/Subcat: 31-098** (UPC: 7-49735-00211-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Leucine-free but contains balanced mixture of all other essential and non-essential amino acids, carbohydrates, fat, vitamins, minerals, and trace elements. Not suitable as sole source of nutrition.	Inborn errors of metabolism: For the dietary management of proven isovaleric acidemia and other disorders of leucine metabolism in infants.	14.1 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	10	7	4	

**Product Name: IVA Anamix Next**  
**Cat/Subcat: 41-339** (UPC: 7-49735-09471-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
	Leucine-free drink mix containing other essential and non-essential amino acids.	For patients with proven Isovaleric Acidemia over the age of one under strict medical supervision.	14 oz.	51 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	17	12	7	

**Product Name: Ketocal 3:1**  
**Cat/Subcat: 41-274** (UPC: 7-49735-06672-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Medical food that contains a 3:1 (fat: carbohydrate + protein) ratio enabling an individual to achieve and maintain a high level of ketosis; Contains DHA & ARA.	Complete or supplemental nutritional support for children (>1 year) with intractable epilepsy, pyruvate dehydrogenase deficiency (PDH), glucose transporter type-1 deficiency (GLUT-1), and other medical conditions where a ketogenic diet is indicated.	11 oz.  Case = 6 cans	70 fl. oz. (30 kcal/oz.)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	6	3	2	
4-5 Months	7	3	2	
6-8 Months	5	3	2	
9-11 Months	5	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	7	4	3	
4-5 Months	8	4	3	
6-8 Months	6	4	3	
9-11 Months	6	4	3	
0-3 Months	12	8	4	Fully Formula
4-5 Months	13	9	4	
6-8 Months	9	6	3	
9-11 Months	9	6	3	
Children & Women	13	9	4	

**Product Name: Ketocal 4:1**  
**Cat/Subcat: 41-275** (UPC: 7-49735-01842-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Medical food that contains a 4:1 (fat: carbohydrate + protein) ratio enabling an individual to achieve and maintain a high level of ketosis.	Provide complete or supplemental nutritional support for children (>1 year) with intractable epilepsy, pyruvate dehydrogenase deficiency (PDH), glucose transporter type-1 deficiency (GLUT-1), and other medical conditions where a ketogenic diet is indicated.	11 oz.  Case = 6 cans	70 fl. oz. (30 kcal/oz.)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	6	3	2	
4-5 Months	7	3	2	
6-8 Months	5	3	2	
9-11 Months	5	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	7	4	3	
4-5 Months	8	4	3	
6-8 Months	6	4	3	
9-11 Months	6	4	3	
0-3 Months	12	8	4	Fully Formula
4-5 Months	13	9	4	
6-8 Months	9	6	3	
9-11 Months	9	6	3	
Children & Women	13	9	4	

**Product Name: MCT Procal****Cat/Subcat: 41-293** (UPC 30 x 16 g case: 8-12539-02158-2)

(UPC 30 x 16 g case: 0-50600-05023-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Neutral tasting powder containing protein, carbohydrate and fat high in MCT.	Dietary management of malnutrition, fat malabsorption, disorders of long chain fatty acid oxidation type I, hyperlipidemia and chylothorax.	1 case contains 30 packets that are 16 grams each	101.4 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	8	6	3	



**Product Name: Neocate with DHA/ARA****Cat/Subcat: 31-054** (UPC: 7-49735-02595-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	100% free amino-acid based, hypoallergenic medical food and infant formula with iron for infants and children. Product has very short shelf life; opened can must be used within 1 month.	An infant formula for the dietary management of: allergies to cow's milk, multiple food protein intolerance, short bowel syndrome, eosinophilic esophagitis, gastroesophageal reflux, milk protein induced colitis, transition from parenteral to enteral nutrition.	14.1 oz.	97 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	2	1	
4-5 Months	5	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	3	2	
4-5 Months	6	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	8	5	3	Fully Formula
4-5 Months	9	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	9	6	3	

**Product Name: Neocate Junior w/ Prebiotics**

**Cat/Subcat: 41-288** (UPC Vanilla: 7-49735-00627-6)  
(UPC Strawberry: 7-49735-06456-6)  
(UPC Unflavored: 7-49735-02912-1)  
(UPC Chocolate 7-49735-02690-8)  
(UPC Tropical: 7-49735-02124-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	30 kcal/oz; complete, elemental medical food containing 100% free amino acid (Prebiotic product has prebiotic fiber added.); hypoallergenic; high protein equivalent for GI tissue repair; extra vitamins and minerals for malabsorptive conditions; carbohydrate content formulated to minimize osmotic load.	For children over one year of age with cow milk and soy protein allergies, multiple food protein intolerance, food allergy-related GERD and eosinophilic esophagitis, and other conditions for which an amino acid-based diet may be necessary.	14.1 oz.	63 fl. oz. (unflavored, vanilla, strawberry) 61 fl. oz. (chocolate) 60 fl. oz. (tropical)
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	14	9	5	

**Product Name: Neocate Junior**

**Cat/Subcat: 41-063** (UPC Unflavored: 7-49735-01790-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	30 kcal/oz; complete, elemental medical food containing 100% free amino acid; hypoallergenic; high protein equivalent for GI tissue repair; extra vitamins and minerals for malabsorptive conditions; carbohydrate content formulated to minimize osmotic load.	For children (> 1 year old) with cow and soy milk allergy, multiple food protein intolerance, food allergy-related GERD and eosinophilic esophagitis, and other conditions for which an amino acid-based diet may be necessary.	14.1 oz.	64 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	14	9	5	

**Product Name: Neocate Syneo**  
**Cat/Subcat: 31-102** (UPC: 7-49735-01436-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	100% free amino-acid based, hypoallergenic medical food with a blend of pre- and probiotics.	For the dietary management of infants with cow milk allergy, multiple food allergies and related GI and allergic conditions, including food protein-induced enterocolitis syndrome (FPIES) and eosinophilic esophagitis (EoE).	14.1 oz.	95 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	1	
9-11 Months	7	4	1	
Children & Women	9	6	3	

**Product Name: Nutramigen with Enflora LGG****Cat/Subcat: 31-001** (UPC: 3-00871-23941-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic casein hydrolysate, lactose-free, sucrose-free infant formula with iron. Does not contain MCT oil. Powder form has the probiotic LGG added to promote a healthy GI and immune system. Both forms contain DHA/ARA.	For infants with sensitivity to intact protein or other foods.	12.6 oz.	87 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	6	4	3	
4-5 Months	7	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	10	6	3	Fully Formula
4-5 Months	11	7	3	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	10	7	3	

**Product Name:** Nutramigen with Enflora LGG Toddler

**Cat/Subcat:** 31-086 (UPC: 3-00875-10734-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Designed for older infants and toddlers with a cow's milk allergy. Hypoallergenic, lactose-free, iron-fortified with increased calcium and vitamins and probiotic LGG to help support digestive health.	To meet the nutritional needs of older infants and toddlers (9 to 36 months) with a cow's milk allergy.	12.6 oz.	86 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	10	7	3	

**Product Name: PKU Periflex Early Years**

**Cat/Subcat: 31-095** (UPC: 7-49735-00164-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free; with iron and DHA/ARA	PKU	14.1 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	7	3	
6-8 Months	7	5	2	
9-11 Months	7	5	2	
Children & Women	10	7	4	

**Product Name: Periflex Junior Plus**

**Cat/Subcat: 41-326** (UPC Unflavored: 7-49735-01402-8)  
 (UPC Orange: 7-49735-01401-1)  
 (UPC Berry: 7-49735-09474-7)  
 (UPC Vanilla: 7-49735-09478-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine-free	PKU in toddlers and young children	14.1 oz	51 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	17	11	6	

**Product Name: Phenex-2**

**Cat/Subcat: 41-041** (UPC: 0-70074-51123-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Phenylalanine-free to allow greater intake of intact protein; approximately 30% of energy as fat; designed for children and adults; lactose and gluten free	For children and adults with phenylketonuria (PKU) or hyperphenylalaninemia.	14.1 oz.	55 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	16	11	5	



**Product Name: Phenylade Drink Mix\***

**Cat/Subcat: 41-109** (UPC Chocolate: 7-00847-09511-4)  
(UPC Vanilla: 7-00847-09522-0)  
(UPC Orange Crème: 7-00847-09533-6)  
(UPC Strawberry: 7-00847-09544-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Metabolic formula; nutritionally incomplete; can be used for oral and/or tube feeding; does not contain phenylalanine.	Inborn errors of metabolism: Phenylketonuria. Can be used by children, adults and pregnant women - Not for infants under one year old -Not for parenteral use.	16 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	10	7	3	

**Product Name: Phenylade Essential Drink Mix****Cat/Subcat: 41-237** (UPC Chocolate: 7-00847-09501-5)

(UPC Vanilla 7-00847-09502-2)

(UPC Orange Crème: 7-00847-09503-9)

(UPC Unflavored: 7-00847-09508-4)

(UPC Strawberry: 7-00847-09504-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Metabolic formula; nutritionally incomplete; can be used for oral and/or tube feeding; does not contain phenylalanine. Contains a 4:1 ratio of omega-6 to omega-3 fatty acids.	Inborn errors of metabolism: Phenylketonuria. Can be used by children, adults and pregnant women - Not for infants under one year old -Not for parenteral use.	16 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	10	7	3	

**Product Name: Phenylade MTE Amino Acid Blend**

Cat/Subcat: 41-110 (UPC: 7-00847-09596-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Metabolic formula; nutritionally incomplete; can be used for oral and/or tube feeding; does not contain phenylalanine. Contains added calcium, phosphorus, magnesium, chromium, molybdenum and selenium.	Inborn errors of metabolism: Phenylketonuria. Can be used by children, adults and pregnant women - Not for infants under one year old -Not for parenteral use.	16 oz.	75 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	12	8	4	

**Product Name: Portagen**

Cat/Subcat: 41-128 (UPC: 3-00875-11728-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Milk protein-based powder with 87% of fat from medium-chain triglycerides.	Nutrition powder for children and adults with defects in the intraluminal hydrolysis of fat; defective mucosal fat absorption; and/or defective lymphatic transport of fat.	14.46 oz.	64 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	14	9	4	

**Product Name: Pregestimil**  
**Cat/Subcat: 31-009** (UPC: 3-00870-36701-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	20 kcal/oz, iron-fortified, lactose-free, sucrose (table sugar)-free, hypoallergenic infant formula with 55% of the fat from medium-chain triglycerides (MCT) oil; includes DHA/ARA	For infants with severe food allergies, sensitivity to intact protein, or fat malabsorption. Some medical conditions may necessitate issuing to children.	16 oz.	112 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	3	2	1	
4-5 Months	4	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	1	1	1	BF Part Out
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	7	5	2	Fully Formula
4-5 Months	8	5	2	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
Children & Women	8	5	3	

**Product Name: Pro-Phree**

Cat/Subcat: 31-046 (UPC: 0-70074-51149-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Protein-free to permit protein restriction or the addition of extra energy, minerals and vitamins. Approximately 49% of energy as fat; lactose and gluten free	For infants and toddlers who require extra calories, minerals and vitamins and/or protein restriction. May be used by children and adults. Use under medical supervision.	14.1 oz.	102 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	2	1	
4-5 Months	5	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	3	2	
4-5 Months	6	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	8	5	2	Fully Formula
4-5 Months	9	6	3	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
Children & Women	8	5	3	

**Product Name: PurAmino DHA & ARA****Cat/Subcat: 31-069** (UPC: 3-00875-10480-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Iron fortified, hypoallergenic, amino acid-based infant formula; contains DHA/ARA.	For infants and toddlers with severe cow's milk protein allergy, not effectively managed by an extensively hydrolyzed formula. Also indicated for infants and children with multiple food protein allergies.	14.1 oz.	98 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	2	1	
4-5 Months	5	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	3	2	
4-5 Months	6	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
0-3 Months	8	5	2	Fully Formula
4-5 Months	9	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	9	6	3	

**Product Name: PurAmino Jr****Cat/Subcat: 41-346** (UPC Unflavored: 3-00875-12246-4)

(UPC Vanilla: 3-00875-12244-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Amino Acid based medical food with DHA for children with severe cow's milk protein or multiple food protein allergies	For infants and toddlers with severe cow's milk protein allergy, not effectively managed by an extensively hydrolyzed formula. Also indicated for infants and children with multiple food protein allergies.	14.1 oz.	66 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	13	8	4	

**Product Name: Renastart****Cat/Subcat: 41-263** (UPC: 8-12539-02149-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Vitaflow	High energy formula; low in protein, calcium, chloride, potassium, phosphorus and Vitamin A.	Used for the dietary management of renal failure for children over age 1.	14.1 oz	57 fl. oz
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	15	10	5	

**Product Name: Scandishake**

**Cat/Subcat: 41-112** (UPC 4 x 3 oz. case Vanilla: 0-58914-80044-6)  
(UPC 4 x 3 oz. case Strawberry: 0-58914-80244-0)  
(UPC 4 x 3 oz. case Chocolate: 0-58914-80144-3)

<b>Manufacturer</b>	<b>Description</b>	<b>Indication</b>	<b>Selling Unit</b>	<b>Reconstitution Amount/Unit</b>
Nutricia	High calorie, high-fat, high-carbohydrate powder without supplemental vitamins and minerals. Lactose free and gluten free. Sweetened with Aspartame formulations. Note: ScandiShake® is not a meal replacement and should not be considered a complete nutritional supplement.	For weight gain or maintenance. Patients intending long-term use should consult a medical professional for additional dietary considerations.	1 pack contains 4 envelopes that are 3 oz. each	8 fl. oz. per envelope 32 fl. oz per pack
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	28	19	9	



**Product Name: Similac Advance Stage 1**

Cat/Subcat: 21-082 (UPC: 0-70074-55958-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, milk-based, iron-fortified.	Issued to normal healthy infants (birth-12 months).	12.4 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	7	3	
6-8 Months	7	5	2	
9-11 Months	7	5	2	
Children & Women	10	7	3	

**Product Name: Similac Expert Care Alimentum****Cat/Subcat: 31-081** (UPC: 0-70074-64712-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Casein hydrolysate; hypoallergenic infant formula with DHA/ARA; iron fortified; lactose-free. 33% of fat from MCT oil. Contains corn derivatives.	For infants with severe food allergies, sensitivity to intact protein or fat malabsorption.	12.1 oz.	87 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	4	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	1	BF Part Out
1-3 Months	6	4	3	
4-5 Months	7	5	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	10	6	3	Fully Formula
4-5 Months	11	7	3	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	10	7	3	

**Product Name: Similac Expert Care NeoSure**

Cat/Subcat: 31-030 (UPC: 0-700074-57431-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Iron-fortified, high protein, vitamin and mineral formula, with DHA/ARA, 25% of fat from MCT oil. Provides higher levels of protein, vitamins and minerals per 100 kcal than infant formula designed for full term infants.	For premature and/or low birth weight infants. Use only under the supervision of a physician.	13.1 oz.	87 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	4	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	1	BF Part Out
1-3 Months	6	4	3	
4-5 Months	7	5	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	10	6	3	Fully Formula
4-5 Months	11	7	3	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	10	7	4	

**Product Name: Similac for Spit Up**

Cat/Subcat: 21-085 (UPC: 0-70074-50960-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based with added rice starch; reduced-lactose; DHA/ARA; gluten free.	Suitable for lactose sensitivity. Not intended for infants with galactosemia.	12.5 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	1	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	7	3	
6-8 Months	7	5	2	
9-11 Months	7	5	2	
Children & Women	10	7	4	

**Product Name: Similac Human Milk Fortifier**

**Cat/Subcat: 31-050** (UPC: 0-70074-54599-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Low iron, gluten free, kosher.	Intended for preterm infants as a nutrition supplement added to human milk.	90 gm (50 packets/carton)	42.5 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	2	2	2	BF Part In
1-3 Months	10	6	4	
4-5 Months	12	6	4	
6-8 Months	9	6	4	
9-11 Months	9	6	4	
First Month	3	3	3	BF Part Out
1-3 Months	11	7	5	
4-5 Months	13	7	5	
6-8 Months	10	7	5	
9-11 Months	10	7	5	
4-5 Months	10	7	3	Fully Formula
9-11 Months	7	5	2	
6-8 Months	16	10	5	
9-11 Months	16	10	5	
Children & Women	--	--	--	

**Product Name: Similac PM 60/40****Cat/Subcat: 31-036** (UPC: 0-70074-60850-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Whey: casein 60:40, protein dominant, low-iron formula. Lower in minerals and electrolytes. Additional iron should be supplied by other sources.	For infants and children predisposed to or being treated for hypocalcemia due to hyperphosphatemia, or those with impaired renal function who would benefit from lowered mineral intake.	14.1 oz.	102 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	2	1	
4-5 Months	5	2	1	
6-8 Months	3	2	1	
9-11 Months	3	2	1	
<b>First Month</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>BF Part Out</b>
<b>1-3 Months</b>	<b>5</b>	<b>3</b>	<b>2</b>	
<b>4-5 Months</b>	<b>6</b>	<b>3</b>	<b>2</b>	
<b>6-8 Months</b>	<b>4</b>	<b>3</b>	<b>2</b>	
<b>9-11 Months</b>	<b>4</b>	<b>3</b>	<b>2</b>	
0-3 Months	8	5	2	Fully Formula
4-5 Months	9	6	3	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
<b>Children &amp; Women</b>	<b>8</b>	<b>6</b>	<b>3</b>	

**Product Name: Similac Sensitive**  
**Cat/Subcat: 21-034** (UPC: 0-70074-57541-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Standard milk-based, 99.8% lactose-free infant formula with iron and prebiotics (.2% lactose due to added prebiotics); DHA/ARA.	For infants with lactose sensitivity/lactose intolerance.	12.5 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	1	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	7	3	
6-8 Months	7	5	2	
9-11 Months	7	5	2	
Children & Women	10	7	4	

**Product Name:** Similac Soy Isomil  
**Cat/Subcat:** 21-031 (UPC: 0-700745-5964-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk free, lactose free, iron fortified standard infant formula with partially hydrolyzed soy protein; contains DHA/ARA; 20 kcal/oz.	For infants (0-12 months) with sensitivity to milk-based formula.	12.4 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	7	3	
6-8 Months	7	5	2	
9-11 Months	7	5	2	
Children & Women	10	6	3	



**Product Name:** Similac Total Comfort  
**Cat/Subcat:** 21-088 (UPC: 0-70074-62600-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk based, iron fortified standard infant formula Containing 100% partially hydrolyzed whey protein and is 98% less lactose than standard milk-based formulas; contains DHA/ARA and prebiotics; 20 kcal/oz.	Issued to normal healthy infants (birth-12 months). Suitable for lactose sensitivity.	12.6 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	1	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	3	3	
6-8 Months	7	7	2	
9-11 Months	7	7	2	
Children & Women	10	7	4	

**Product Name: Tolerex****Cat/Subcat: 41-215** (UPC 6 x 2.82 oz. box: 0-43900-45805-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% free amino acids; only 2% of calories from fat.	For those with severely impaired GI fxn; severe protein and fat malabsorption; specialized nutrient needs.	1 box contains 6 packets that are 2.82 oz. each	300 mL/pkt 1,800 mL/box
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	6	4	2	
4-5 Months	8	4	2	
6-8 Months	6	4	2	
9-11 Months	6	4	2	
First Month	2	2	2	BF Part Out
1-3 Months	7	5	3	
4-5 Months	9	5	3	
6-8 Months	7	5	3	
9-11 Months	7	5	3	
0-3 Months	13	9	4	Fully Formula
4-5 Months	15	10	5	
6-8 Months	11	7	4	
9-11 Months	11	7	4	
Children & Women	14	9	5	

**Product Name: Tyr Anamix Early Years**

Cat/Subcat: 31-101 (UPC: 7-49735-00218-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine and tyrosine free infant formula with a balanced mixture of all other essential and non-essential amino acids, carbohydrate, fat, vitamins, minerals, and trace elements.	For the dietary management of Tyrosinemia when plasma methionine level is normal.	14.1 oz.	90 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	2	
4-5 Months	5	3	2	
6-8 Months	4	3	2	
9-11 Months	4	3	2	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	3	
4-5 Months	6	4	3	
6-8 Months	5	4	3	
9-11 Months	5	4	3	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	10	7	4	

**Product Name: TYR Anamix Next**  
**Cat/Subcat: 41-325** (UPC: 7-49735-09479-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	For the dietary management of individuals with proven Tyrosinemia (TYR). Phenylalanine and tyrosine free. Nutritionally incomplete.	Used for inborn errors of metabolism. For the dietary management of Tyrosinemia in children over the age of one year.	14.1 oz.	51 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	17	12	7	

**Product Name: Tyrex-1**

Cat/Subcat: 31-051 (UPC: 0-70074-51129-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Phenylalanine- and tyrosine-free for greater intake of intact protein. About 40% of energy from fat; 6.6% of energy as linoleic acid; lactose and gluten free.	For infants and toddlers with tyrosinemia type I, II or III. Use under medical supervision.	12.4 oz.	96 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	4	3	1	
4-5 Months	5	3	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	2	2	BF Part Out
1-3 Months	5	4	2	
4-5 Months	6	4	2	
6-8 Months	5	4	2	
9-11 Months	5	4	2	
0-3 Months	9	6	3	Fully Formula
4-5 Months	10	6	3	
6-8 Months	7	4	2	
9-11 Months	7	4	2	
Children & Women	9	6	3	

**Product Name: Tyrex-2****Cat/Subcat: 41-052** (UPC: 0-70074-51127-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Phenylalanine- and tyrosine-free for greater intake of intact protein. About 30% of energy from fat; lactose and gluten free.	For children and adults with tyrosinemia type I, II or III. Use under medical supervision.	14.1 oz.	55 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	16	11	6	

**Product Name: UCD Anamix Junior****Cat/Subcat: 41-315** (UPC Unflavored: 7-49735-09292-7)

(UPC Vanilla: 7-49735-09293-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Contains essential amino acids to help maintain a positive nitrogen balance in UCD; contains sufficient non-protein calories to prevent protein being broken down for energy and toxic metabolites being produced.	Urea Cycle Disorders (UCD) Hyperammonemia, hyperornithinemia, homocitrullinemia (HHH) syndrome, Gyrate atrophy	14 oz.	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	18	13	7	

**Product Name: Vivonex Pediatric****Cat/Subcat: 41-217** (UPC 6 x 1.7 oz. box: 0-43900-71319-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Nutritionally complete elemental formula. Low residue, lactose-free, gluten-free, kosher.	For use in patients with transitional feeding following TPN, short bowel syndrome, malabsorption syndrome, select trauma/surgery, Crohn's disease, GI enterocutaneous fistula, intractable diarrhea, and GI disorder related to AIDS.	1 box contains 6 packets that are 1.7 oz. each	220 mL/pkt 1,320 mL/box
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	17	11	6	

**Product Name: Vivonex T.E.N.****Cat/Subcat: 41-220** (UPC 10 x 2.84 oz. box: 0-43900-71277-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% free AA, nutritionally complete formula with only 3% of calories from fat.	For patients with severely impaired GI function. Can be used for tube feeding or oral supplementation.	1 box contains 10 packets that are 2.84 oz. each	300 mL/pkt 3,000 mL/box
Children & Women	9	6	3	

**Product Name: XPhe, XTyr Analog**

Cat/subcat: 31-064 (UPC: 7-49735-01885-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Phenylalanine and tyrosine free	For the dietary management of tyrosinemia when plasma methionine level is normal	14 oz.	80 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	1	1	1	BF Part In
1-3 Months	5	3	2	
4-5 Months	6	4	2	
6-8 Months	4	3	1	
9-11 Months	4	3	1	
First Month	2	1	1	BF Part Out
1-3 Months	6	4	2	
4-5 Months	7	5	2	
6-8 Months	5	3	2	
9-11 Months	5	3	2	
0-3 Months	10	7	3	Fully Formula
4-5 Months	12	8	4	
6-8 Months	8	5	2	
9-11 Months	8	5	2	
Children & Women	11	7	3	



# Ready to Use Formulas

## Product Name: Boost Breeze

Cat/Subcat: 41-264 (UPC Orange: 0-43900-18629-0)  
 (UPC Peach: 0-43900-18649-8)  
 (UPC Wild Berry: 0-43900-18666-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	250 kcals, 9 grams protein/serving; lactose and gluten free, low-residue.	For a clear-liquid diet and fat malabsorption.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	113	78	45	

**Product Name: Boost**

**Cat/Subcat: 41-173** (UPC Chocolate: 0-41679-93266-7)  
 (UPC Strawberry: 0-41679-67666-0)  
 (UPC Vanilla: 0-41679-67466-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Milk protein concentrate and soy protein isolate; complete nutritional drink.	Appropriate for lactose-free, gluten-free, low-residue diets. For nutritional management of malnutrition, inadequate oral intake and reduced appetite. Not for individuals with galactosemia.	6-pack 8 oz.	48 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	18	12	6	

**Product Name: Boost High Protein**

**Cat/Subcat: 41-225** (UPC Creamy Strawberry: 0-41679-94466-0)  
 (UPC Rich Chocolate: 0-41679-94066-2)  
 (UPC Very Vanilla: 0-41679-94166-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	15 g protein; milk protein concentrate, soy protein isolate; calcium and sodium caseinates	Appropriate for lactose-free, gluten-free, low-residue diets. For nutritional management of increased protein requirements, protein-calorie malnutrition, and reduced appetite. Not for individuals with galactosemia.	6-pack 8 oz.	48 oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	18	12	6	

**Product Name: Boost Kid Essentials**

**Cat/Subcat: 41-229** (UPC Vanilla Vortex: 0-41679-95096-8)  
(UPC Chocolate Craze: 0-41679-95097-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	30 kcal/oz., 25 essential vitamins and minerals/serving, 7 grams protein, lactose-free. For children ages 1-13 years. May be consumed orally or used as a tube feeding.	For children with failure to thrive, injury or trauma, chronic illness, pre/post-surgery.	4-pack 8 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	28	18	9	

**Product Name: Boost Kid Essentials 1.5**

**Cat/Subcat: 41-277** (UPC Vanilla: 0-43900-33540-7)  
(UPC Chocolate: 0-43900-33588-9)  
(UPC Strawberry: 0-43900-33590-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	45 kcal/oz., 25 essential vitamins and minerals/serving, 10 grams protein, lactose-free. May be consumed orally or used as a tube feeding.	For children with failure to thrive, Crohn's disease, cardiac conditions, cancer, cystic fibrosis, cerebral palsy, fluid-restricted patients.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Boost Kid Essentials 1.5 with Fiber****Cat/Subcat: 41-287** (UPC 8 oz. can Vanilla: 0-43900-33500-1)

(UPC 27 x 8 oz. case: 0-43900-33200-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	45 kcal/oz., 25 essential vitamins and minerals/serving, 10 grams protein, lactose-free. For children ages 1-13 years. May be consumed orally or used as a tube feeding.	For children with failure to thrive, Crohn's disease, cardiac conditions, cancer, cystic fibrosis, cerebral palsy, fluid-restricted patients.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Bright Beginnings Soy Pediatric Drink****Cat/Subcat: 41-092** (UPC: 6-83744-35009-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Bright Beginnings	Nutritionally-complete, Kosher, lactose-free, gluten-free and cow's milk protein-free snack drink; can be used as supplement or as total nutrition support (with doctor's supervision).	For children 1 to 10 years old who are allergic to cow's milk protein and/or are lactose intolerant.	6-pack 8 oz.	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	12	6	

**Product Name: Carnation Breakfast Essentials****Cat/Subcat: 41-313**

(UPC Chocolate: 0-50000-41517-5)

(UPC Strawberry: 0-50000-41579-3)

(UPC Vanilla: 0-50000-41569-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Milk-based liquid food for oral feeding.	For adults with a medical condition such as HIV or cancer when conventional food is restricted or precluded.	6-pack 8 oz.	48 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	18	12	6	

**Product Name: Compleat Pediatric****Cat/Subcat: 41-181**

(UPC: 0-43900-14240-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Blenderized tube feeding formulated from traditional foods.	For children (1-13 years) requiring chronic or long term, total or supplemental tube feeding. Children with special health needs, failure to thrive, HIV/AIDS, developmental disabilities, and chronic illnesses.	8.45 oz.	8.45 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	107	74	42	

**Product Name: Compleat Pediatric Reduced Calorie**

**Cat/Subcat: 41-290** (UPC: 0-43900-38074-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Blenderized tube feeding formulated from traditional foods that provides 40% fewer calories than standard 1.0kcal/ml formulas.	For the nutritional management of children ages 1-13 years with disproportionate weight gain associated with developmental disabilities, reduced caloric needs and bowel management.	8.45 oz.	8.45fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	107	74	42	

**Product Name: Enfacare NeuroPro****Cat/Subcat: 31-067** (UPC: 3-00875-12203-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	22 kcal/oz, iron-fortified, high protein, vitamin and mineral formula with DHA/ARA added for preterm and/or low birth weight infants. 20% of the fat is MCT oil.	For premature and/or low birth weight infants who have reached a weight of 1.8 kg (4 lbs.)	6 x 2 oz. pack	12 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	8	4	2	BF Part In
1-3 Months	36	24	12	
4-5 Months	43	28	14	
6-8 Months	32	20	10	
9-11 Months	32	20	10	
First Month	9	5	3	BF Part Out
1-3 Months	37	25	13	
4-5 Months	44	29	15	
6-8 Months	33	29	15	
9-11 Months	33	21	11	
0-3 Months	72	48	24	Fully Formula
4-5 Months	80	53	26	
6-8 Months	58	38	19	
9-11 Months	58	38	19	
Children & Women	75	50	25	

**Product Name: Enfaport DHA/ARA****Cat/Subcat: 31-075** (UPC: 3-00875-10525-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	84% MCT oil; high protein; includes all essential fatty acids; DHA/ARA	For infants with Chylothorax or LCHAD deficiency.	6 x 6 oz. pack	36 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	2	1	1	BF Part In
1-3 Months	10	6	3	
4-5 Months	13	8	4	
6-8 Months	9	6	3	
9-11 Months	9	6	3	
First Month	2	1	1	BF Part Out
1-3 Months	11	7	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
0-3 Months	23	14	7	Fully Formula
4-5 Months	25	16	8	
6-8 Months	17	10	5	
9-11 Months	17	10	5	
Children & Women	25	24	12	



**Product Name: Ensure**

**Cat/Subcat: 41-005**  
(UPC Butter Pecan: 0-70074-51785-8)  
(UPC Coffee Latte: 0-70074-56016-8)  
(UPC Chocolate: 0-70074-40701-2)  
(UPC Dark Chocolate: 0-70074-53807-5)  
(UPC Strawberry: 0-70074-40705-0)  
(UPC Vanilla: 0-70074-40711-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	31 kcal/oz.; nutritionally complete, lactose-free, low-residue formula for oral or tube feeding; prebiotics.	For adults and children age 4 and older. Prescribed due to a medical condition (i.e. cancer, HIV, cerebral palsy, etc.) that restricts or precludes the use of conventional foods.	6 x 8 oz. pack	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	13	7	

**Product Name: Ensure Clear****Cat/Subcat: 41-289** (UPC Apple: 0-70074-64901-6)

(UPC Mixed Berry: 0-70074-64899-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	High calorie, fat-free oral supplement; contains high quality protein and 20 essential vitamins and minerals.	For clear liquid diets; individuals with cancer, heart disease, pancreatitis and hyperlipidemia. Also for pre-post-surgical, bowel-prep, fat-malabsorptive and fat-restricted diets.	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children and Women	113	78	45	

**Product Name: Ensure Plus**

**Cat/Subcat: 41-012** (UPC Butter Pecan: 0-70074-51787-2)  
 (UPC Chocolate: 0-70074-40702-9)  
 (UPC Dark Chocolate: 0-70074-53810-5)  
 (UPC Strawberry Cream: 0-70074-40718-0)  
 (UPC Vanilla: 0-70074-40707-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Complete balanced nutrition with 350 calories and a unique blend of prebiotic fiber to help promote digestive tract health and antioxidants to support the immune system.	Nutrition support primarily due to a medical condition (i.e. Cancer, HIV, cerebral palsy, etc.) that requires extra calories, corresponding higher concentrations of protein, and other nutrients to achieve a required caloric intake.	6 x 8 oz. pack	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	13	7	

**Product Name: Glucerna Shake**

**Cat/Subcat: 41-019** (UPC Vanilla: 0-70074-57802-6)  
 (UPC Strawberry Crème: 0-70074-57808-8)  
 (UPC Chocolate Delight: 0-70074-57805-7)  
 (UPC Butter Pecan: 0-70074-57811-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Specially formulated to help minimize blood-sugar spikes, use as part of a diabetes management plan.	For people with diabetes. Suitable for lactose intolerance. Gluten-free	6 x 8 oz. pack	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	13	7	

**Product Name: KetoCal 4:1 (unflavored or Vanilla)****Cat/Subcat: 41-276** (UPC 8 oz. bottle Vanilla: 7-49735-08796-1)

(UPC 8 oz. bottle Unflavored: 7-49735-03054-7)

(UPC 27 x 8 oz. case Vanilla: 7-49735-18796-8)

(UPC 27 x 8 oz. case Unflavored: 7-49735-13054-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Nutritionally complete; 4:1 ratio of fat: carbohydrate + protein. For oral and tube feedings, contains a blend of insoluble and soluble fiber.	For the dietary management of intractable epilepsy; for individuals over age one.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	13	13	13	BF Part In
1-3 Months	54	33	22	
4-5 Months	65	33	22	
6-8 Months	48	33	22	
9-11 Months	48	33	22	
First Month	14	14	14	BF Part Out
1-3 Months	55	34	23	
4-5 Months	66	34	23	
6-8 Months	49	34	23	
9-11 Months	49	34	23	
0-3 Months	104	69	35	Fully Formula
4-5 Months	114	76	38	
6-8 Months	80	53	27	
9-11 Months	80	53	27	
Children and Women	113	78	45	

**Product Name: KetoVie 3:1****Cat/Subcat: 41-359** (UPC 3-24359-50403-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	3:1 ratio (fat: carbohydrate + protein), nutritionally complete ketogenic medical food with 100% whey based protein and 20% of calories as MCT.	For the dietary management of intractable epilepsy; for individuals over age one.	30 x 8.5 oz. case.	255 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	3	2	1	

**Product Name: KetoVie 4:1**
**Cat/Subcat: 41-332** (UPC 30 x 8.5 oz. case Vanilla: 3-24359-50203-0)  
 (UPC 30 x 8.5 oz. case Chocolate: 3-24359-50103-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	4:1 ratio (fat:carbohydrate + protein), nutritionally complete formula with 25% of calories as MCT.	For the dietary management of intractable epilepsy; for individuals over age one.	30 x 8.5 oz. case.	255 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children and Women	3	2	1	

**Product Name: KetoVie Peptide 4:1****Cat/Subcat: 41-354** (UPC: 3-24359-50303-7)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Cambrooke Therapeutics	4:1 ratio (fat:net carbohydrate + protein), hydrolyzed whey protein- based enteral formula that is nutritionally complete. 14% of calories as MCT.	For the dietary management of intractable epilepsy; for individuals over age one.	30 x 8.5 oz. case.	255 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children and Women	3	2	1	

**Product Name: Liquigen****Cat/Subcat: 41-327** (UPC: 7-49735-19573-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	An emulsified Medium Chain Triglyceride (MCT) oil.	Recommend for long-chain fatty acid oxidation disorders and conditions managed by the ketogenic diet.	4 x 8.5 oz. pack	34 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	26	17	8	

**Product Name:** MCT Oil  
**Cat/Subcat:** 41-194 (UPC: 3-00870-36503-3)  
 (UPC: 0-41679-36503-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% Medium-chain triglycerides for absorption directly into the portal circulation	For patients unable to digest or absorb conventional fats due to decreased pancreatic lipase, bile salts, defective mucosal fat absorption or lymphatic transport of fat or severe malabsorption.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	3	3	BF Part In
1-3 Months	13	8	5	
4-5 Months	16	8	5	
6-8 Months	12	8	5	
9-11 Months	12	8	5	
First Month	4	4	4	BF Part Out
1-3 Months	14	9	6	
4-5 Months	17	9	6	
6-8 Months	13	9	6	
9-11 Months	13	9	6	
0-3 Months	26	17	9	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	7	
9-11 Months	20	13	7	
Children & Women	28	19	11	

**Product Name: Microlipids**

**Cat/Subcat: 41-196** (UPC 3 oz. bottle: 0-41679-08743-5)  
 (UPC 8 x 3 oz. package: 0-41679-08742-8)  
 (UPC 48 x 3 oz. case: 0-41679-08702-2)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Medical Food – 50% fat emulsion (safflower oil emulsion) for special dietary use in oral or tube-feeding formulas; high in linoleic acid	For patients with increased caloric requirements, anorexia, decreased carbohydrate tolerance, or fluid/volume restriction	3 oz.	3 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	34	34	34	BF Part In
1-3 Months	145	90	60	
4-5 Months	174	90	60	
6-8 Months	128	90	60	
9-11 Months	128	90	60	
First Month	35	35	35	BF Part Out
1-3 Months	146	91	61	
4-5 Months	175	91	61	
6-8 Months	129	91	61	
9-11 Months	129	91	61	
0-3 Months	290	193	96	Fully Formula
4-5 Months	320	213	106	
6-8 Months	232	154	77	
9-11 Months	232	154	77	
Children & Women	303	210	120	



**Product Name: Neocate Splash**

**Cat/Subcat: 41-066** (UPC 8 oz. can Grape: 7-49735-01050-1)  
(UPC 8 oz. can Unflavored: 7-49735-04451-3)  
(UPC 8 oz. tetra pack Grape: 7-49735-02435-5)  
(UPC 8 oz. tetra pack Orange Pineapple: 7-49735-02436-2)  
(UPC 8 oz. tetra pack Tropical Fruit: 7-49735-02437-9)  
(UPC 27 x 8 oz. case Grape: 7-49735-12670-7)  
(UPC 27 x 8 oz. case Orange Pineapple: 7-49735-11050-8)  
(UPC 27 x 8 oz. case Tropical Fruit: 7-49735-12666-0)  
(UPC 27 x 8 oz. case Unflavored: 7-49735-14451-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nutricia	Hypoallergenic, nutritionally complete, amino acid-based medical food, designed for children over the age of one. May be consumed orally or used as tube feeding.	For children with gastrointestinal tract impairment, cow and soy milk allergy, multiple food protein intolerance, GERD, eosinophilic esophagitis, short bowel syndrome, and other medical conditions where an amino acid-based diet is required.	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	113	78	35	

**Product Name: Nepro**

**Cat/Subcat: 41-029** (UPC Butter Pecan: 0-70074-64797-5)  
(UPC Mixed Berry: 0-70074-64795-1)  
(UPC 8 oz. can Vanilla: 0-70074-50633-3)  
(UPC 8 oz. carton Vanilla: 0-70074-64799-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Low in phosphorus, potassium, and sodium. Excellent source of protein to replace what is lost during dialysis. Use as oral and/or tube feeding. Kosher. Gluten free.	Therapeutic nutrition for patients on dialysis (Stage 5 chronic kidney disease)	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	113	78	45	

**Product Name:** Nutramigen  
**Cat/Subcat:** 31-003 (UPC: 3-00875-11564-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic casein hydrolysate, lactose-free, sucrose-free infant formula with iron. Does not contain MCT oil. Powder form has the probiotic LGG added to promote a healthy GI and immune system. Both forms contain DHA/ARA.	For infants with sensitivity to intact protein or other foods.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	3	3	BF Part In
1-3 Months	13	8	5	
4-5 Months	16	8	5	
6-8 Months	12	8	5	
9-11 Months	12	8	5	
First Month	4	4	4	BF Part Out
1-3 Months	14	9	6	
4-5 Months	17	9	6	
6-8 Months	13	9	6	
9-11 Months	13	9	6	
0-3 Months	26	17	9	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	7	
9-11 Months	20	13	7	
Children & Women	28	19	11	

**Product Name: Nutren Junior****Cat/Subcat: 41-142** (UPC 8.45 oz. can: 7-98716-06062-2)

(UPC 24 x 8.45 oz. case: 7-98716-16062-9)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Nutritionally complete, isotonic, whole protein liquid diet for complete or supplemental nutrition support in pediatric patients; use as oral and/or tube feeding; lactose-free, gluten-free, kosher, low-residue	For children (1-10 years) with stable and functioning gastrointestinal tract. Can be used with cancer; pre- and post-surgery; pediatric failure to thrive; neurologic disease or impairment; HIV/AIDS; multiple fractures; anorexia/weight loss; malnutrition and coma	8.45 oz.	8.45 oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	107	74	42	

**Product Name: Nutren Junior with Fiber****Cat/Subcat: 41-143** (UPC: 7-98716-06063-9)

<b>Manufacturer</b>	<b>Description</b>	<b>Indication</b>	<b>Selling Unit</b>	<b>Reconstitution Amount/Unit</b>
Nestle	Nutritionally complete, isotonic, whole protein liquid diet for complete or supplemental nutrition support in pediatric patients; use as oral and/or tube feeding; lactose-free, gluten-free, kosher, low-residue	For children (1-10 years) with stable and functioning gastrointestinal tract. Can be used with cancer; pre- and post-surgery; pediatric failure to thrive; neurologic disease or impairment; HIV/AIDS; multiple fractures; anorexia/weight loss; malnutrition and coma. Nutritionally complete, fiber containing whole protein liquid diet for complete or supplemental nutrition support for oral and/or tube feeding in pediatric patients.; lactose-free, gluten-free, kosher, low-residue.	24 x 8.45 oz. case	202.8 fl. Oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	4	3	1	

**Product Name: Pediasure**

**Cat/Subcat: 41-036** (UPC Strawberry: 0-70074-58056-2)  
 (UPC Vanilla: 0-70074-58050-0)  
 (UPC Chocolate: 0-70074-58059-3)  
 (UPC Banana: 0-70074-58053-1)  
 (UPC Berry: 0-70074-53819-8)  
 (UPC S'mores: 0-70074-66920-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	30 kcal/oz.; nutritionally complete supplement; suitable for lactose intolerance and gluten-free.	For children 1 – 10 years who are undernourished due to illness or a medical condition that warrants the prescription of the product.	6 x 8 oz. package	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	13	7	

**Product Name: Pediasure with Fiber**

**Cat/Subcat: 41-038** (UPC Strawberry: 0-70074-56369-5)  
 (UPC Vanilla: 0-70074-58062-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	240 kcal/8 oz.; 3 grams dietary fiber, prebiotics; DHA; suitable for lactose intolerance and gluten free.	Oral feeding of children 1-13 years. May be used as sole source of nutrition or as a supplement.	6 x 8 oz. package	48 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	18	13	7	

**Product Name: Pediasure 1.5 Cal**

**Cat/Subcat: 41-256** (UPC Vanilla 8 oz. bottle: 0-70074-67386-8 or 0-70074-56410-4)  
 (UPC Vanilla 24 x 8 oz. case: 0-70074-56409-8 or 0-70074-67378-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	~44 kcal/oz.; nutritionally complete supplement for pediatric patients who require higher caloric concentrated feeding; DHA; suitable for lactose intolerance and gluten free.	For children 1 to 13 years with malnutrition, fluid restrictions, or have poor tolerance to large volume feeds. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Pediasure 1.5 Cal with Fiber**

**Cat/Subcat: 41-257** (UPC Vanilla 8 oz. bottle: 0-70074-67375-2 or 0-70074-56412-8)  
 (UPC Vanilla 24 x 8 oz. case: 0-70074-56411-1 or 0-70074-67374-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	~44 kcal/oz.; nutritionally complete supplement for pediatric patients who require higher caloric concentrated feeding; DHA; suitable for lactose intolerance and gluten free. Contains prebiotic fiber for digestive system health.	For children 1 to 13 years with malnutrition, fluid restrictions, or have poor tolerance to large volume feeds. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Pediasure Enteral Formula**

**Cat/Subcat: 41-037** (UPC 8 oz. bottle: 0-70074-67402-5 or 0-70074-51805-3)  
(UPC 24 x 8 oz. case: 0-70074-51804-6 or 0-70074-67401-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based, complete nutrition; 240 kcal/8 oz.; not for children galactosemia; not for parenteral use.	Designed for tube feeding children 1-13 years. May be used as sole source of nutrition or as a supplement. Not intended for infant under 1 year of age.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Pediasure Enteral with Fiber**

**Cat/Subcat: 41-039** (UPC 8 oz. bottle: 0-70074-67404-9 or 0-70074-51807-7)  
(UPC 24 x 8 oz. case: 0-70074-67403-2 or 0-70074-51806-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based, complete nutrition; 240 kcal/8 oz.; not for children galactosemia; not for parenteral use. A blend of soluble and insoluble fibers and fructooligosaccharides (prebiotic).	Designed for tube feeding children 1-13 years. May be used as sole source of nutrition or as a supplement. Not intended for infant under 1 year of age.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	



**Product Name: Pediasure Harvest****Cat/Subcat: 41-358** (UPC 8 oz. bottle: 0-70074-67963-1)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Blenderized tube feeding formulated from traditional foods.	Source of complete nutrition. Designed for tube fed children between the ages of 1-13 years. Not intended for infants under 1 year of age.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Pediasure Peptide 1.0 Cal****Cat/Subcat: 41-228** (UPC Vanilla 24 x 8 oz. case: 0-70074-67410-0)

(UPC Strawberry 24 x 8 oz. case: 0-70074-62122-7)

(UPC Unflavored 24 x 8 oz. case: 0-70074-67414-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Therapeutic semi-elemental nutrition for children for tube or oral feeding.	Sole source or supplemental nutrition; for children 1-13 years with malabsorption, maldigestion or impaired GI function resulting from: inflammatory bowel disease, cystic fibrosis, celiac disease, pancreatic disorders, short-bowel syndrome, diarrhea, bowel resection, cerebral palsy, early enteral feeding, transitioning from TPN and special health needs.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
Children & Women	113	78	45	

**Product Name: Pediasure Peptide 1.5 Cal**

April 1, 2021

**Cat/Subcat: 41-258** (UPC Vanilla: 0-70074-67418-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Therapeutic semi-elemental nutrition for children for tube or oral feeding.	Sole source or supplemental nutrition; for children 1-13 years with malabsorption, maldigestion or impaired GI function. Designed to meet needs of children who require higher caloric density, have fluid restrictions, or are at risk for malnutrition.	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	113	78	45	

**Product Name: Peptamen Junior**

**Cat/Subcat: 41-153** (UPC Unflavored: 7-98716-06253-4)

(UPC Vanilla: 7-98716-06252-7)

(UPC Chocolate: 7-98716-60110-8)

(UPC Strawberry: 7-98716-60140-5)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	30 kcal/oz.; nutritionally complete, isotonic, peptide-based elemental diet partially hydrolyzed whey protein. Provides complete or supplemental nutritional support; for tube feeding use; lactose and gluten free.	Provides a customized protein, lipid, vitamin, and mineral profile for children (1–10 years) with impaired gastrointestinal function; also for inflammatory bowel disease, short bowel syndrome, cystic fibrosis, chronic diarrhea, malabsorption, cerebral palsy, delayed gastric emptying, HIV/AIDS, and growth failure.	8.45 oz.	8.45 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	107	74	42	

**Product Name: Peptamen Junior with Fiber**

**Cat/Subcat: 41-271** (UPC: 7-98716-60200-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	Enzymatically hydrolyzed, 100% whey protein to facilitate gastric emptying; nutritionally complete for tube feeding or oral supplementation; lactose and gluten free.	For children (1-13 years) with impaired GI function: short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, malabsorption, chronic diarrhea, delayed gastric emptying, growth failure.	8.45 oz.	8.45 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	107	74	42	

**Product Name: Peptamen Junior 1.5**

**Cat/Subcat: 41-234** (UPC Unflavored: 7-98716-07363-9)  
(UPC Vanilla: 0-98716-70482-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	100% when, enzymatically hydrolyzed protein; 60% MCT oil; 5.6g/L PREBIO soluble fiber blend; lactose and gluten free.	For ages 1-13 years, with impaired GI function: volume/fluid restrictions, critical illness/trauma, transplant patients, cystic fibrosis, crohn's disease, cerebral palsy, short bowel syndrome, malabsorption, chronic diarrhea, growth failure, early enteral feeding, transition from TPN	8.45 oz.	8.45 fl. oz
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	107	74	42	

**Product Name: Pregestimil 24 kcal**

Cat/Subcat: 31-010 (UPC: 3-00875-11564-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Mead Johnson	Hypoallergenic and lactose-free; 55% of the fat comes from MCT oil	For infants experiencing fat malabsorption related to cystic fibrosis, short bowel syndrome, intractable diarrhea or severe protein calorie malnutrition and who may also be sensitive to intact proteins.	6 x 2 oz. package	12 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	8	8	8	BF Part In
1-3 Months	36	22	15	
4-5 Months	43	22	15	
6-8 Months	32	22	15	
9-11 Months	32	22	15	
First Month	9	9	9	BF Part Out
1-3 Months	37	23	16	
4-5 Months	44	23	16	
6-8 Months	33	23	16	
9-11 Months	33	23	16	
0-3 Months	72	48	24	Fully Formula
4-5 Months	80	53	26	
6-8 Months	58	38	19	
9-11 Months	58	38	19	
Children & Women	75	52	30	

**Product Name: ProMod Liquid Protein**

April 1, 2021

92

**Cat/Subcat: 41-330** (UPC 32 oz. bottle: 0-70074-59722-5)  
 (UPC 6 x 32 oz. case: 0-70074-59721-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Concentrated liquid protein	Use for individuals with increased protein needs including wounds, protein-energy malnutrition, involuntary weight loss, pre-and post-surgery, anorexia, stress, trauma, cancer and burns.	32 oz.	32 fl. oz
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	28	19	9	

**Product Name: Resource 2.0**

April 1, 2021

Cat/Subcat: 41-265 (UPC: 0-43900-18010-6)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Nestle	2.0 kcal/mL; 20 g protein; lactose and gluten free; low-residue	For malnutrition, fluid restriction, inadequate oral intake and unintentional weight loss.	8 oz.	8 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	13	13	13	BF Part In
1-3 Months	54	33	22	
4-5 Months	65	33	22	
6-8 Months	48	33	22	
9-11 Months	48	33	22	
First Month	14	14	14	BF Part Out
1-3 Months	55	34	23	
4-5 Months	67	34	23	
6-8 Months	49	34	23	
9-11 Months	49	34	23	
0-3 Months	104	69	35	Fully Formula
4-5 Months	114	76	38	
6-8 Months	80	53	27	
9-11 Months	80	53	27	
Children & Women	113	78	45	

**Product Name: Similac Advance Stage 1**

April 1, 2021

Cat/Subcat: 21-084 (UPC: 0-70074-53364-3)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete, milk-based, iron-fortified.	Issued to normal healthy infants (birth-12 months).	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	2	1	BF Part In
1-3 Months	12	8	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
First Month	4	3	2	BF Part Out
1-3 Months	13	9	5	
4-5 Months	15	10	6	
6-8 Months	11	8	5	
9-11 Months	11	8	5	
0-3 Months	26	17	8	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	6	
9-11 Months	20	13	6	
Children & Women	28	19	11	

**Product Name: Similac Expert Care Alimentum**

Cat/Subcat: 31-032 (UPC 32 oz. bottle: 0-70074-57513-1)

April 1, 2021

(UPC 6 x 8 oz. case: 0-70074-57509-4)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Casein hydrolysate; hypoallergenic infant formula with DHA/ARA; iron fortified; lactose-free. 33% of fat from MCT oil. Contains corn derivatives.	For infants with severe food allergies, sensitivity to intact protein or fat malabsorption.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	2	1	BF Part In
1-3 Months	12	8	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
First Month	4	3	2	BF Part Out
1-3 Months	13	9	5	
4-5 Months	15	10	6	
6-8 Months	11	8	5	
9-11 Months	11	8	5	
0-3 Months	26	17	8	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	6	
9-11 Months	20	13	6	
Children & Women	28	19	11	

**Product Name: Similac Expert Care NeoSure**

Cat/Subcat: 31-031 (UPC 32 oz. bottle: 0-70074-57456-1)

(UPC 8 x 2 oz. nursette: 0-70074-11484-2) – each 16 oz. package = 0.5 bottle from family's benefits

April 1, 2021



Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Higher calorie, higher nutrient base formula. May be used for oral or tube feeding.	For premature infants.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	2	1	BF Part In
1-3 Months	12	8	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
<b>First Month</b>	<b>4</b>	<b>3</b>	<b>2</b>	BF Part Out
<b>1-3 Months</b>	<b>13</b>	<b>9</b>	<b>5</b>	
<b>4-5 Months</b>	<b>15</b>	<b>10</b>	<b>6</b>	
<b>6-8 Months</b>	<b>11</b>	<b>8</b>	<b>5</b>	
<b>9-11 Months</b>	<b>11</b>	<b>8</b>	<b>5</b>	
0-3 Months	26	17	8	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	6	
9-11 Months	20	13	6	
Children & Women	28	19	11	

**Product Name: Similac for Spit Up**  
**Cat/Subcat: 21-071** (UPC: 0-70074-56731-0)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk-based with added rice starch; reduced-lactose; DHA/ARA; gluten free.	Suitable for lactose sensitivity. Not intended for infants with galactosemia.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	3	3	BF Part In
1-3 Months	13	8	5	
4-5 Months	16	8	5	
6-8 Months	12	8	5	
9-11 Months	12	8	5	
First Month	4	4	4	BF Part Out
1-3 Months	14	9	6	
4-5 Months	17	9	6	
6-8 Months	13	9	6	
9-11 Months	13	9	6	
0-3 Months	26	17	9	Fully Formula
4-5 Months	28	19	10	
6-8 Months	20	13	7	
9-11 Months	20	13	7	
Children & Women	28	19	11	

**Product Name:** Similac Sensitive  
**Cat/Subcat:** 21-036 (UPC: 0-70074-57534-6)

April 1, 2021

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Standard milk-based, 99.8% lactose-free infant formula with iron and prebiotics (.2% lactose due to added prebiotics); DHA/ARA.	For infants with lactose sensitivity/lactose intolerance.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	2	1	BF Part In
1-3 Months	12	8	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
First Month	4	3	2	BF Part Out
1-3 Months	13	9	5	
4-5 Months	15	10	6	
6-8 Months	11	8	5	
9-11 Months	11	8	5	
0-3 Months	26	17	8	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	6	
9-11 Months	20	13	6	
Children & Women	28	19	11	

**Product Name: Similac Soy Isomil**

**Cat/Subcat: 21-033** (UPC: 0-70074-55968-1)

April 1, 2021

99

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Milk free, lactose free, iron fortified standard infant formula with partially hydrolyzed soy protein; contains DHA/ARA	For infants (0-12 months of age) with sensitivity to milk-based formula.	32 oz.	32 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	3	2	1	BF Part In
1-3 Months	12	8	4	
4-5 Months	14	9	5	
6-8 Months	10	7	4	
9-11 Months	10	7	4	
First Month	4	3	2	BF Part Out
1-3 Months	13	9	5	
4-5 Months	15	10	6	
6-8 Months	11	8	5	
9-11 Months	11	8	5	
0-3 Months	26	17	8	Fully Formula
4-5 Months	28	19	9	
6-8 Months	20	13	6	
9-11 Months	20	13	6	
Children & Women	28	19	11	

**Product Name: Similac Special Care 24**

**Cat/Subcat: 31-040** (UPC: 0-70074-56270-4)

April 1, 2021

100

**\*Call State office prior to issuing**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	24 kcal/fl. oz.; iron fortified; DHA/ARA; calcium: phosphorous ratio (1:8:1); ~2 mg iron/kg body weight per day when fed at 120 kcal/kg body weight; gluten free	For growing, low birth-weight infants and premature infants. Not intended for feedings after infants reach a weight of 3,600 g (~8 pounds).	2 oz.	2 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	52	34	16	BF Part In
1-3 Months	192	34	16	
4-5 Months	237	157	78	
6-8 Months	169	112	55	
9-11 Months	169	112	55	
First Month	53	35	17	BF Part Out
1-3 Months	53	35	17	
4-5 Months	238	158	79	
6-8 Months	170	113	56	
9-11 Months	170	113	56	
0-3 Months	416	277	138	Fully Formula
4-5 Months	456	304	152	
6-8 Months	321	214	107	
9-11 Months	321	214	107	
Children & Women	--	--	--	

**Product Name: Similac Special Care 30**

**Cat/Subcat: 31-085** (UPC 2 oz. nursette: 0-70074-11486-6)  
(UPC 8 x 2 oz. package: 0-70074-56312-1)

April 1, 2021

(UPC 48 x 2 oz. case: 0-70074-56313-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	30 kcal/fl. oz. Iron-fortified with DHA, lutein, and Vit. E.	For growing, low birth-weight infants and premature infants. Not intended for feedings after infants reach a weight of 3,600 g (~8 pounds).	2 oz.	2 fl. oz.
Age	Qty	2/3 Qty	1/3 Qty	Feeding Method
First Month	52	34	16	BF Part In
1-3 Months	192	34	16	
4-5 Months	237	157	78	
6-8 Months	169	112	55	
9-11 Months	169	112	55	
First Month	53	35	17	BF Part Out
1-3 Months	53	35	17	
4-5 Months	238	158	79	
6-8 Months	170	113	56	
9-11 Months	170	113	56	
0-3 Months	416	277	138	Fully Formula
4-5 Months	456	304	152	
6-8 Months	321	214	107	
9-11 Months	321	214	107	
Children & Women	455	303	151	

## Product Name: Suplena

Cat/Subcat: 41-050 (UPC: 0-70074-59665-5)  
(UPC: 0-700745-62089-3)

April 1, 2021

102

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Therapeutic nutrition for people with chronic kidney disease (stages 3 & 4).	To help maintain nutritional status while adhering to a renal diet.	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	113	78	45	

**Product Name: TwoCal HN**

**Cat/Subcat: 41-051**

(UPC Vanilla: 0-70074-40729-6)

(UPC Butter Pecan: 0-70074-54065-8)

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
Abbott	Nutritionally complete; high-calorie liquid food. Sole-source or supplemental nutrition. Tube or oral feedings.	For stressed patients and those requiring low-volume feedings. For assistance with weight gain or maintenance. Use under medical supervision.	8 oz.	8 fl. oz.
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
Children & Women	113	78	45	

**Template:**

April 1, 2021



**Product Name:**

**UPC:**

Manufacturer	Description	Indication	Selling Unit	Reconstitution Amount/Unit
<b>Age</b>	<b>Qty</b>	<b>2/3 Qty</b>	<b>1/3 Qty</b>	<b>Feeding Method</b>
First Month				BF Part In
1-3 Months				
4-5 Months				
6-8 Months				
9-11 Months				
<b>First Month</b>				BF Part Out
<b>1-3 Months</b>				
<b>4-5 Months</b>				
<b>6-8 Months</b>				
<b>9-11 Months</b>				
0-3 Months				Fully Formula
4-5 Months				
6-8 Months				
9-11 Months				
<b>Children &amp; Women</b>				